


Prenatal Care: Entered prenatal care after first trimester

The 2010 LAMB Survey asked mothers how many weeks or months pregnant they were when they had their first visit for prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		9.1	8.1	10.1	724	11718
Race/Ethnicity	White	5.4	4.1	6.5	138	1220
	Hispanic	9.8	8.3	11.3	278	7673
	Black	14.4	11.7	16.7	161	1442
	Asian/PI	8.2	6.4	9.9	114	1261
Maternal Age	<20 Years old	20.8	18.1	23.5	279	2,305
	20-24 years old	10.9	8.3	13.5	130	2,697
	25-34 years old	8.1	6.7	9.5	238	5,409
	35+ years old	5.1	3.5	6.7	77	1,306
Household Income	<\$20,000	12.9	10.8	15.1	301	4,885
	\$20,000-\$39,999	9.2	6.9	11.5	129	2,258
	\$40,000-\$59,999	7.2	4.2	10.2	49	827
	\$60,000-\$99,999	*3.6	1.8	5.4	37	501
	\$100,000 and more	*1.8	0.8	2.9	17	317
Marital Status	Married	5.4	4.3	6.5	205	3,880
	Never Married-Living together	10.7	8.7	12.7	234	3,922
	Unmarried/Not living with partner	20.4	16.9	23.9	275	3,780
Education	Less than High School	11.9	9.5	14.2	216	3,597
	High School	12.6	10.2	15.1	229	3,829
	Greater than High School	6.5	5.4	7.6	265	4,222
Birth Outcome	Preterm	14.1	10.1	18.0	99	1,719
	Low Birth Weight	11.0	7.1	14.9	58	1,048


Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Prenatal Care: Did not get prenatal care as early as wanted

The 2010 LAMB Survey asked mothers if they received prenatal care as early in their pregnancy as they wanted.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		14.9	13.7	16.2	1,125	18,884
Race/Ethnicity	White	8.7	7.2	10.3	213	1,992
	Hispanic	16.2	14.2	18.1	445	12,495
	Black	22.2	19.2	25.2	239	2,209
	Asian/PI	13.3	11.1	15.5	176	2,009
Maternal Age	<20 Years old	33.4	30.4	36.5	441	3,630
	20-24 years old	18.2	14.7	21.6	192	4,425
	25-34 years old	12.3	10.6	14.0	368	8,117
	35+ years old	10.8	8.2	13.3	124	2,712
Household Income	<\$20,000	18.6	16.0	21.2	441	7,013
	\$20,000-\$39,999	17.5	14.2	20.8	207	4,243
	\$40,000-\$59,999	14.0	9.7	18.3	84	1,569
	\$60,000-\$99,999	8.5	5.6	11.4	67	1,165
	\$100,000 and more	5.2	3.3	7.1	49	886
Marital Status	Married	9.3	7.9	10.8	336	6,601
	Never Married-Living together	19.5	16.7	22.2	396	7,009
	Unmarried/Not living with partner	27.2	23.4	31.0	379	5,042
Education	Less than High School	17.4	14.4	20.4	294	5,138
	High School	19.3	16.4	22.2	351	5,856
	Greater than High School	12.1	10.5	13.6	454	7,733
Birth Outcome	Preterm	17.4	12.9	21.9	115	2,074
	Low Birth Weight	16.9	12.3	21.6	96	1,567

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Prenatal Care: Traveled 15 miles or more for prenatal care

The 2010 LAMB Survey asked mothers how far they traveled (one way) to receive prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		12.4	11.2	13.6	820	15,448
Race/Ethnicity	White	11.4	9.5	13.3	197	2,555
	Hispanic	11.6	9.9	13.4	243	8,814
	Black	16.1	13.4	18.7	167	1,587
	Asian/PI	15.3	12.8	17.8	166	2,310
Maternal Age	<20 Years old	11.1	9.1	13.0	155	1,185
	20-24 years old	11.4	8.4	14.4	105	2,717
	25-34 years old	12.8	11.1	14.6	392	8,345
	35+ years old	12.8	10.3	15.3	168	3,201
Household Income	<\$20,000	12.8	10.5	15.2	253	4,717
	\$20,000-\$39,999	12.2	9.4	15.1	133	2,953
	\$40,000-\$59,999	11.1	7.2	14.9	67	1,236
	\$60,000-\$99,999	10.9	8.2	13.6	105	1,489
	\$100,000 and more	11.5	9.0	14.0	114	1,967
Marital Status	Married	11.0	9.6	12.4	413	7,694
	Never Married-Living together	14.6	12.0	17.2	225	5,059
	Unmarried/Not living with partner	13.1	10.1	16.1	172	2,420
Education	Less than High School	12.0	9.3	14.7	152	3,381
	High School	13.3	10.6	16.1	176	3,981
	Greater than High School	11.9	10.5	13.4	455	7,592
Birth Outcome	Preterm	12.5	8.7	16.2	80	1,462
	Low Birth Weight	13.3	9.0	17.5	67	1,225

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Prenatal Care: Prenatal care did not meet Public Health Service guidelines

The 2010 LAMB Survey asked mothers about the prenatal care content during their first or second prenatal care visit.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		30.5	28.8	32.1	2,040	38,825
Race/Ethnicity	White	34.6	31.8	37.5	566	7,885
	Hispanic	28.6	26.1	31.0	635	22,265
	Black	28.2	25.0	31.4	318	2,832
	Asian/PI	35.2	32.0	38.4	397	5,345
Maternal Age	<20 Years old	34.0	31.0	36.9	563	3,738
	20-24 years old	25.5	21.4	29.5	236	6,279
	25-34 years old	31.3	28.8	33.7	907	20,702
	35+ years old	31.9	28.4	35.4	444	8,107
Household Income	<\$20,000	27.4	24.3	30.6	533	10,308
	\$20,000-\$39,999	25.4	21.6	29.1	287	6,206
	\$40,000-\$59,999	29.4	23.7	35.2	168	3,301
	\$60,000-\$99,999	34.2	29.7	38.7	286	4,691
	\$100,000 and more	35.9	32.1	39.6	383	6,140
Marital Status	Married	31.3	29.1	33.5	1,121	22,219
	Never Married-Living together	28.4	25.1	31.6	508	10,252
	Unmarried/Not living with partner	30.9	26.8	35.0	383	5,798
Education	Less than High School	29.5	25.8	33.3	381	8,845
	High School	28.9	25.3	32.5	391	8,791
	Greater than High School	31.6	29.4	33.7	1,176	20,300
Birth Outcome	Preterm	30.8	25.1	36.5	171	3,710
	Low Birth Weight	36.3	29.5	43.1	140	3,366

Note: 'Overall prenatal care visits did not meet PHS guidelines' is defined as the percentage of women who reported 'No' to any of the following six items when asked if they were part of their first or second prenatal care visit: blood pressure measured, urine sample given, blood sample taken, height and weight measured, had pelvic exam, and health history taken.

Prenatal Care: Dissatisfied with amount of wait time at prenatal care

The 2010 LAMB Survey asked mothers if they were dissatisfied with how long they had to wait to see the doctor at the doctor's office during their visits for prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		18.2	16.8	19.7	1,137	23,115
Race/Ethnicity	White	15.2	13.2	17.3	290	3,455
	Hispanic	19.6	17.5	21.8	410	15,259
	Black	16.4	13.8	19.0	184	1,631
	Asian/PI	16.7	14.2	19.3	194	2,527
Maternal Age	<20 Years old	22.1	19.6	24.7	287	2,390
	20-24 years old	23.8	19.7	27.8	192	5,867
	25-34 years old	18.1	16.1	20.1	505	11,915
	35+ years old	11.5	9.2	13.9	153	2,942
Household Income	<\$20,000	22.2	19.2	25.2	383	8,292
	\$20,000-\$39,999	19.8	16.3	23.2	207	4,860
	\$40,000-\$59,999	14.5	10.2	18.8	83	1,610
	\$60,000-\$99,999	17.4	13.5	21.3	130	2,413
	\$100,000 and more	11.7	9.4	14.1	127	2,007
Marital Status	Married	16.1	14.3	17.9	517	11,388
	Never Married-Living together	20.7	17.8	23.7	350	7,473
	Unmarried/Not living with partner	21.6	17.8	25.3	257	4,002
Education	Less than High School	18.4	15.2	21.6	234	2,403
	High School	22.1	18.8	25.5	288	6,762
	Greater than High School	16.2	14.4	17.9	582	10,403
Birth Outcome	Preterm	17.0	12.5	21.4	97	1,974
	Low Birth Weight	16.4	11.5	21.3	75	1,497

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Prenatal Care: Dissatisfied with amount of time spent with doctor/nurse

The 2010 LAMB Survey asked mothers if they were dissatisfied with how much time the doctor or nurse spent with them during their visits for prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		10.6	9.4	11.7	642	13,379
Race/Ethnicity	White	5.9	4.7	7.2	134	1,343
	Hispanic	12.2	10.4	14.0	252	9,434
	Black	8.8	6.9	10.6	107	875
	Asian/PI	10.5	8.4	12.6	117	1,591
Maternal Age	<20 Years old	13.3	11.2	15.3	179	1,435
	20-24 years old	15.2	11.7	18.6	113	3,725
	25-34 years old	9.9	8.3	11.5	264	6,526
	35+ years old	6.7	4.8	8.5	86	1,693
Household Income	<\$20,000	13.3	10.9	15.8	236	4,955
	\$20,000-\$39,999	13.1	10.0	16.1	120	3,201
	\$40,000-\$59,999	6.4	3.5	9.3	40	713
	\$60,000-\$99,999	7.9	5.1	10.8	60	1,100
	\$100,000 and more	5.9	4.0	7.8	58	1,015
Marital Status	Married	8.7	7.3	10.1	266	6,159
	Never Married-Living together	13.3	10.8	15.7	220	4,768
	Unmarried/Not living with partner	12.5	9.5	15.6	151	2,331
Education	Less than High School	12.1	9.3	14.9	139	3,532
	High School	13.4	10.6	16.2	166	4,098
	Greater than High School	8.6	7.3	9.9	318	5,527
Birth Outcome	Preterm	11.4	7.6	15.2	60	1,335
	Low Birth Weight	8.7	5.1	12.2	43	794

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Prenatal Care: Dissatisfied with advice given at prenatal care

The 2010 LAMB Survey asked mothers if they were dissatisfied with the advice they received on how to take care of themselves during their visits for prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		7.8	6.7	8.8	437	9,824
Race/Ethnicity	White	4.1	3.0	5.2	88	924
	Hispanic	9.1	7.5	10.7	187	7,085
	Black	5.4	3.8	6.9	62	534
	Asian/PI	7.8	5.9	9.7	74	1,179
Maternal Age	<20 Years old	9.5	7.7	11.3	120	1,023
	20-24 years old	11.3	8.2	14.4	77	2,782
	25-34 years old	7.1	5.7	8.5	179	4,650
	35+ years old	5.4	3.6	7.2	61	1,369
Household Income	<\$20,000	9.2	7.2	11.3	166	3,456
	\$20,000-\$39,999	9.8	7.1	12.5	81	2,400
	\$40,000-\$59,999	6.1	3.2	9.0	35	679
	\$60,000-\$99,999	5.7	3.2	8.2	40	790
	\$100,000 and more	2.9	1.6	4.2	28	495
Marital Status	Married	7.3	5.9	8.6	191	5,136
	Never Married-Living together	8.1	6.0	10.1	128	2,906
	Unmarried/Not living with partner	9.1	6.6	11.7	111	1,695
Education	Less than High School	9.4	6.9	11.9	98	2,771
	High School	9.1	6.7	11.6	109	2,783
	Greater than High School	6.4	5.2	7.6	216	4,124
Birth Outcome	Preterm	9.8	6.2	13.3	49	1,148
	Low Birth Weight	7.6	4.0	11.1	27	701

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Prenatal Care: Dissatisfied with understanding/respect received

The 2010 LAMB Survey asked mothers if they were dissatisfied with the understanding and respect that the staff showed toward them during their visits for prenatal care.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		3.6	2.9	4.3	236	4,603
Race/Ethnicity	White	2.8	1.9	3.8	55	643
	Hispanic	4.1	3.0	5.2	92	3,164
	Black	4.2	2.8	5.5	50	416
	Asian/PI	2.2	1.3	3.2	28	340
Maternal Age	<20 Years old	5.4	4.0	6.8	71	586
	20-24 years old	5.4	3.2	7.7	41	1,336
	25-34 years old	3.1	2.2	4.0	90	2,028
	35+ years old	2.6	1.4	3.7	34	653
Household Income	<\$20,000	4.8	3.3	6.4	91	1,797
	\$20,000-\$39,999	3.0	1.6	4.3	40	724
	\$40,000-\$59,999	*2.8	0.8	4.9	16	313
	\$60,000-\$99,999	*3.5	1.4	5.5	24	480
	\$100,000 and more	*1.3	0.5	2.1	13	220
Marital Status	Married	3.6	2.6	4.5	98	2,522
	Never Married-Living together	3.4	2.1	4.7	67	1,225
	Unmarried/Not living with partner	4.5	2.9	6.0	69	825
Education	Less than High School	4.6	2.8	6.3	63	1,336
	High School	4.9	3.1	6.7	57	1,490
	Greater than High School	2.7	2.0	3.4	108	1,744
Birth Outcome	Preterm	*5.7	2.8	8.7	27	665
	Low Birth Weight	*3.7	0.8	6.6	12	341


Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Labor pain 3 weeks before due date

The 2010 LAMB Survey asked mothers if they had labor that began too soon (labor pains more than 3 weeks before their baby was due).

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		16.2	14.8	17.5	936	21,258
Race/Ethnicity	White	11.4	9.4	13.4	193	2,654
	Hispanic	18.1	16.0	20.2	347	14,525
	Black	21.4	18.4	24.4	225	2,258
	Asian/PI	10.2	8.2	12.1	122	1,607
Maternal Age	<20 Years old	15.2	13.0	17.5	200	1,751
	20-24 years old	18.1	14.5	21.7	153	4,627
	25-34 years old	16.2	14.3	18.2	423	11,065
	35+ years old	14.5	11.6	17.3	160	3,816
Household Income	<\$20,000	21.1	18.2	24.0	328	8,164
	\$20,000-\$39,999	15.1	12.0	18.3	162	3,814
	\$40,000-\$59,999	16.9	12.0	21.8	78	1,977
	\$60,000-\$99,999	12.1	8.5	15.7	84	1,700
	\$100,000 and more	10.1	7.8	12.4	115	1,763
Marital Status	Married	14.4	12.6	16.2	430	10,524
	Never Married-Living together	16.7	14.0	19.3	269	6,252
	Unmarried/Not living with partner	20.8	17.1	24.5	226	4,064
Education	Less than High School	16.2	13.2	19.1	197	5,093
	High School	19.5	16.3	22.7	227	6,124
	Greater than High School	14.5	12.8	16.3	479	9,570
Birth Outcome	Preterm	51.0	45.0	57.1	279	6,313
	Low Birth Weight	52.3	45.5	59.0	230	5,081

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: High blood pressure

The 2010 LAMB Survey asked mothers if they had high blood pressure (such as high blood pressure caused by pregnancy, preeclampsia, or toxemia) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		11.6	10.4	12.7	739	15,183
Race/Ethnicity	White	8.8	7.0	10.5	163	2,043
	Hispanic	12.1	10.4	13.9	235	9,744
	Black	19.2	16.4	22.0	205	2,012
	Asian/PI	7.8	6.1	9.5	102	1,238
Maternal Age	<20 Years old	11.6	9.7	13.5	170	1,334
	20-24 years old	12.9	9.8	16.0	110	3,267
	25-34 years old	10.8	9.2	12.5	294	7,361
	35+ years old	12.2	9.7	14.8	165	3,221
Household Income	<\$20,000	14.0	11.6	16.5	256	5,424
	\$20,000-\$39,999	12.2	9.2	15.2	115	3,096
	\$40,000-\$59,999	14.3	9.9	18.7	77	1,676
	\$60,000-\$99,999	7.9	5.6	10.1	79	1,105
	\$100,000 and more	8.6	6.2	11.0	86	1,497
Marital Status	Married	9.8	8.3	11.3	316	5,497
	Never Married-Living together	13.0	10.6	15.5	228	4,867
	Unmarried/Not living with partner	15.5	12.3	18.8	189	3,040
Education	Less than High School	12.2	9.6	14.8	167	3,801
	High School	14.0	11.2	16.8	182	4,386
	Greater than High School	10.3	8.8	11.7	363	6,764
Birth Outcome	Preterm	21.0	16.1	25.9	128	2,571
	Low Birth Weight	26.9	20.8	33.0	114	2,633

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: Gestational diabetes

The 2010 LAMB Survey asked mothers if they had high blood sugar (gestational diabetes) that started during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		12.4	11.2	13.6	699	16,273
Race/Ethnicity	White	7.0	5.5	8.5	115	1,641
	Hispanic	13.1	11.3	15.0	231	10,536
	Black	9.5	7.4	11.7	100	1,002
	Asian/PI	18.7	16.2	21.3	221	2,970
Maternal Age	<20 Years old	5.0	3.7	6.3	67	579
	20-24 years old	7.2	4.7	9.7	56	1,828
	25-34 years old	12.7	10.9	14.5	334	8,652
	35+ years old	19.7	16.6	22.7	242	5,215
Household Income	<\$20,000	12.4	10.1	14.8	181	4,821
	\$20,000-\$39,999	14.1	11.0	17.1	142	3,544
	\$40,000-\$59,999	15.5	10.8	20.1	73	1,809
	\$60,000-\$99,999	12.5	9.2	15.7	100	1,753
	\$100,000 and more	9.0	6.9	11.0	103	1,567
Marital Status	Married	13.1	11.5	14.7	421	9,561
	Never Married-Living together	12.1	9.8	14.5	176	4,548
	Unmarried/Not living with partner	10.0	7.2	12.8	98	1,953
Education	Less than High School	14.5	11.5	17.5	124	4,554
	High School	12.4	9.8	15.0	146	3,902
	Greater than High School	11.2	9.8	12.7	405	7,410
Birth Outcome	Preterm	15.5	11.3	19.8	88	1,919
	Low Birth Weight	15.1	10.4	19.7	67	1,470

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: Problems with the placenta

The 2010 LAMB Survey asked mothers if they had problems with the placenta (such as abruption placentae or placenta previa) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		4.2	3.5	4.9	269	5,471
Race/Ethnicity	White	5.5	3.9	7.1	78	1,283
	Hispanic	3.4	2.4	4.4	64	2,715
	Black	5.0	3.3	6.6	49	519
	Asian/PI	5.6	4.0	7.2	59	882
Maternal Age	<20 Years old	2.0	1.2	2.9	30	234
	20-24 years old	*3.1	1.5	4.6	31	782
	25-34 years old	4.5	3.4	5.5	133	3,037
	35+ years old	5.4	3.8	7.0	75	1,417
Household Income	<\$20,000	3.9	2.5	5.3	67	1,511
	\$20,000-\$39,999	3.6	2.1	5.2	41	919
	\$40,000-\$59,999	*4.8	2.3	7.2	34	557
	\$60,000-\$99,999	5.5	3.1	7.8	42	768
	\$100,000 and more	4.9	3.4	6.5	51	862
Marital Status	Married	5.0	4.0	6.1	173	3,666
	Never Married-Living together	3.1	1.8	4.4	54	1,161
	Unmarried/Not living with partner	2.9	1.6	4.2	39	566
Education	Less than High School	4.5	2.7	6.3	45	1,417
	High School	3.3	2.0	4.7	47	1,044
	Greater than High School	4.4	3.5	5.4	162	2,928
Birth Outcome	Preterm	11.4	7.6	15.2	63	1,407
	Low Birth Weight	15.9	10.8	20.9	60	1,524


Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Urinary tract infections

The 2010 LAMB Survey asked mothers if they had bladder or kidney infections during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		11.8	10.7	13.0	775	15,540
Race/Ethnicity	White	8.6	7.1	10.1	183	2,002
	Hispanic	13.2	11.4	15.0	293	10,587
	Black	15.4	12.8	18.0	164	1,616
	Asian/PI	7.5	5.7	9.2	94	1,179
Maternal Age	<20 Years old	15.9	13.4	18.3	217	1,829
	20-24 years old	15.3	11.9	18.7	132	3,900
	25-34 years old	10.7	9.1	12.3	306	7,267
	35+ years old	9.7	7.4	12.0	120	2,544
Household Income	<\$20,000	16.2	13.6	18.8	274	6,239
	\$20,000-\$39,999	10.1	7.6	12.6	126	2,560
	\$40,000-\$59,999	12.2	8.0	16.4	59	1,427
	\$60,000-\$99,999	8.5	5.7	11.4	72	1,200
	\$100,000 and more	8.3	6.1	10.5	85	1,447
Marital Status	Married	9.2	7.8	10.6	311	6,700
	Never Married-Living together	15.2	12.6	17.8	257	5,683
	Unmarried/Not living with partner	14.1	11.1	17.1	195	2,764
Education	Less than High School	13.6	10.8	16.3	173	4,224
	High School	13.1	10.5	15.7	201	4,129
	Greater than High School	10.5	9.0	12.0	378	6,936
Birth Outcome	Preterm	14.3	9.8	18.7	80	1,741
	Low Birth Weight	12.1	7.9	16.4	60	1,158

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: Incompetent cervix

The 2010 LAMB Survey asked mothers if their cervix had to be sewn shut during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		2.7	2.0	3.3	131	3,519
Race/Ethnicity	White	*.9	0.01	1.7	12	200
	Hispanic	3.6	2.6	4.6	76	2,852
	Black	2.8	1.6	4.1	26	296
	Asian/PI	*1.0	.40	1.6	14	160
Maternal Age	<20 Years old	3.0	2.0	4.0	38	343
	20-24 years old	*3.4	1.6	5.2	19	869
	25-34 years old	2.4	1.5	3.3	48	1,643
	35+ years old	*2.5	1.1	3.9	26	663
Household Income	<\$20,000	2.8	1.7	4.0	47	1,085
	\$20,000-\$39,999	*2.7	1.1	4.3	19	687
	\$40,000-\$59,999	*1.7	0.0	3.4	8	201
	\$60,000-\$99,999	*3.0	.7	5.3	11	419
	\$100,000 and more	*0.7	.2	1.2	10	127
Marital Status	Married	2.6	1.7	3.6	55	1,919
	Never Married-Living together	2.9	1.7	4.1	42	1,076
	Unmarried/Not living with partner	*2.3	1.1	3.5	32	444
Education	Less than High School	6.3	4.2	8.4	61	1,954
	High School	*2.5	1.2	3.7	32	775
	Greater than High School	*1.2	.6	1.7	36	770
Birth Outcome	Preterm	*3.8	1.4	6.2	23	457
	Low Birth Weight	*5.6	2.1	9.1	21	530


Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Sexually transmitted disease

The 2010 LAMB Survey asked mothers if they had any sexually transmitted diseases during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		2.5	1.9	3.0	211	3,245
Race/Ethnicity	White	1.9	1.2	2.7	40	444
	Hispanic	2.5	1.7	3.3	70	2,004
	Black	4.9	3.5	6.4	67	518
	Asian/PI	1.5	1.0	2.1	21	235
Maternal Age	<20 Years old	5.7	4.4	7.0	84	656
	20-24 years old	3.8	2.1	5.5	42	965
	25-34 years old	2.0	1.2	2.7	62	1,324
	35+ years old	*1.1	.6	1.7	23	300
Household Income	<\$20,000	3.9	2.6	5.1	101	1,489
	\$20,000-\$39,999	*1.4	.4	2.4	19	359
	\$40,000-\$59,999	*1.5	0	3.0	8	174
	\$60,000-\$99,999	*1.4	.6	2.3	15	199
	\$100,000 and more	*.7	.2	1.1	12	116
Marital Status	Married	1.3	.8	1.9	49	972
	Never Married-Living together	3.0	1.9	4.2	68	1,139
	Unmarried/Not living with partner	5.6	3.8	7.4	91	1,102
Education	Less than High School	4.1	2.5	5.8	58	1,286
	High School	2.2	1.4	3.0	64	689
	Greater than High School	1.8	1.2	2.4	81	1,203
Birth Outcome	Preterm	*2.4	.5	4.3	20	289
	Low Birth Weight	*2.9	.9	4.9	20	275


Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

*Signifies that estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

Medical Conditions During Pregnancy: Bacterial vaginosis

The 2010 LAMB Survey asked mothers if they had bacterial vaginosis (vaginal infection caused by bacteria) during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristic (%)


		%	95% CI		Survey Respondents	Estimated County total
Countywide		14.9	13.5	16.2	915	19,468
Race/Ethnicity	White	7.3	5.9	8.8	149	1,711
	Hispanic	17.1	15.1	19.1	359	13,678
	Black	19.7	16.9	22.5	218	2,072
	Asian/PI	11.6	9.5	13.7	142	1,838
Maternal Age	<20 Years old	19.5	17.1	21.8	267	2,247
	20-24 years old	19.9	16.1	23.6	164	5,045
	25-34 years old	14.1	12.2	16.0	364	9,560
	35+ years old	10.0	7.6	12.3	120	2,616
Household Income	<\$20,000	20.7	17.8	23.6	362	7,970
	\$20,000-\$39,999	15.0	11.8	18.2	140	3,782
	\$40,000-\$59,999	15.2	10.6	19.8	80	1,774
	\$60,000-\$99,999	8.3	5.8	10.9	72	1,172
	\$100,000 and more	5.4	3.9	6.9	67	947
Marital Status	Married	11.9	10.2	13.5	344	8,608
	Never Married-Living together	18.1	15.4	20.8	305	6,770
	Unmarried/Not living with partner	19.9	16.4	23.4	260	3,900
Education	Less than High School	17.4	14.3	20.5	210	5,424
	High School	19.3	16.2	22.5	265	6,064
	Greater than High School	11.6	10.1	13.1	417	7,642
Birth Outcome	Preterm	16.0	11.2	20.8	73	1,939
	Low Birth Weight	12.0	7.8	16.2	56	1,141

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.

Medical Conditions During Pregnancy: Periodontal Disease

The 2010 LAMB Survey asked mothers if they had problems with their teeth or gums during their pregnancy.

A. By Service Planning Area (SPA)



B. By Maternal Characteristics (%)

		%	95% CI		Survey Respondents	Estimated County total
Countywide		17.4	16.0	18.9	1,003	22,885
Race/Ethnicity	White	12.4	10.5	14.2	230	2,881
	Hispanic	19.9	17.7	22.0	373	15,895
	Black	18.3	15.5	21.0	197	1,920
	Asian/PI	12.7	10.5	14.8	158	2,003
Maternal Age	<20 Years old	14.6	12.4	16.7	202	1,679
	20-24 years old	24.0	20.0	28.0	182	6,107
	25-34 years old	15.9	13.9	17.8	440	10,782
	35+ years old	16.4	13.4	19.4	179	4,316
Household Income	<\$20,000	22.6	19.6	25.6	365	8,731
	\$20,000-\$39,999	16.8	13.5	20.1	165	4,246
	\$40,000-\$59,999	22.6	17.1	28.2	95	2,650
	\$60,000-\$99,999	7.4	5.3	9.6	80	1,043
	\$100,000 and more	9.1	7.0	11.2	104	1,591
Marital Status	Married	14.2	12.5	16.0	448	10,321
	Never Married-Living together	22.6	19.6	25.7	329	8,472
	Unmarried/Not living with partner	19.4	15.9	23.0	216	3,814
Education	Less than High School	23.3	19.8	26.8	229	7,258
	High School	19.4	16.3	22.6	254	6,105
	Greater than High School	13.8	12.2	15.5	494	9,110
Birth Outcome	Preterm	14.1	9.9	18.2	79	1,725
	Low Birth Weight	15.1	10.5	19.7	71	1,440

Note: Unmarried/Not living with a partner includes divorced, widowed, separated and never married living apart.