

2007-2009 LA HOPE surveys

Domain/Subdomain		<i>Tobacco, Alcohol & Substance Use / Smoking</i>					<i>Tobacco, Alcohol & Substance Use / Alcohol Consumption</i>			<i>Tobacco, Alcohol & Substance Use / Secondhand Smoke Exposure</i>			
Indicator Description		Percentage of women having an infant/fetal death who smoked during pregnancy.			Percentage of women having an infant/fetal death who smoked cigarettes during the six months prior to pregnancy.			Percentage of women having an infant/fetal death who drank any amount of alcohol during pregnancy.			Percentage of women having an infant/fetal death who reported that during their pregnancy they have been exposed to secondhand smoke.		
		%	95% CI		%	95% CI		%	95% CI		%	95% CI	
LA County		3.9	2.6	5.2	13.1	10.8	15.4	12.2	9.9	14.4	9.4	7.4	11.3
Race/Ethnicity	White	4.1*	0.8	7.5	16.7	10.4	23.0	24.2	17.1	31.4	9.4*	4.6	14.2
	Latina	2.2*	0.9	3.4	10.6	7.9	13.3	9.4	6.8	12.0	7.5	5.2	9.8
	African-American	9.5*	4.8	14.2	20.1	13.7	26.4	14.2	8.5	19.9	17.4	11.4	23.3
	Asian/Pacific Islander	3.5*	0.0	10.1	10.6*	0.5	20.7	5.9*	0.0	12.7	6.3*	0.0	14.0
Service Planning Areas	SPA 1 Antelope Valley	3.0*	0.0	6.4	20.1	10.8	29.4	11.8*	4.3	19.3	9.9*	3.2	16.6
	SPA 2 San Fernando	2.7*	0.0	5.5	9.7*	4.7	14.6	13.9	8.2	19.7	5.1*	1.5	8.8
	SPA 3 San Gabriel	4.2*	0.9	7.6	10.3	5.3	15.3	8.6*	3.9	13.4	5.0*	1.4	8.6
	SPA 4 Metro	0.0*	–	–	6.8*	1.5	12.0	6.8*	1.8	11.9	6.9*	1.9	12.0
	SPA 5 West	6.1*	0.0	12.9	18.5*	6.3	30.7	24.3*	12.1	36.6	15.5*	4.3	26.7
	SPA 6 South	7.7*	3.8	11.7	17.0	11.3	22.6	10.7	6.0	15.3	13.8	8.7	19.0
	SPA 7 East	2.6*	0.0	5.5	14.0	7.4	20.7	9.9*	4.5	15.2	11.7*	5.9	17.5
	SPA 8 South Bay	3.7*	0.0	7.9	14.6	7.5	21.6	17.9	10.5	25.2	11.2*	5.0	17.4

*The estimate is statistically unstable (relative standard error > 25%) and therefore may not be appropriate to use for planning or policy purposes.

[For more information about LA HOPE project please click here](#)