


| Los Angeles County, 2002 | | | | |
|--------------------------|-----------------|------|-------------------------|-------|
| Mother's Age | Fetal Mortality | | 95% Confidence Interval | |
| | Deaths | Rate | Lower | Upper |
| <18 | 13 | 2.4 | 1.5 | 3.4 |
| 18 to 19 | 39 | 4.1 | 3.2 | 5.0 |
| 20 to 34 | 494 | 4.4 | 4.2 | 4.7 |
| 35+ | 190 | 7.3 | 6.6 | 8.1 |
| Other/Unknown | 4 | N/A | N/A | N/A |
| Total | 740 | 4.9 | 4.6 | 5.1 |

| Total Live Births plus Fetal Deaths | | | |
|---|--|--|--|
| 5,342 | | | |
| 9,468 | | | |
| 111,135 | | | |
| 25,939 | | | |
| 23 | | | |
| 151,907 | | | |



Year 2010 Objective: Reduce fetal mortality (20 or more weeks of gestation) rate to no more than 4.1 per 1,000 live births plus fetal deaths.

Note: Fetal mortality rate is defined as deaths occurring at 20 weeks or more gestation per 1,000 live births plus fetal deaths.

Rates are not calculated (N/C) if fewer than five deaths. Rates are not applicable (N/A) in the "Unknown" category.

Source: California Department of Health Services, Center for Health Statistics, Vital Statistics, 2002.